

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent Application of

NOBUHIRO KIHARA

Art Unit: 2872

Serial No. 09/875,021

Examiner: Arnel C. Lavarias

Filed: June 7, 2001

For: HOLOGRAPHIC STEREOGRAM EXPOSURE APPARATUS,  
METHOD THEREOF, AND HOLOGRAPHIC STEREOGRAM  
GENERATION SYSTEM

RECEIVED  
OCT 27 2002  
TECHNOLOGY CENTER 2800

Transmitted herewith is an amendment in the above-identified application.

☒ No additional fee is required.

The fee has been calculated as shown below

CLAIMS AS AMENDED						
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	10	MINUS	20	=0	x \$9 \$18	\$
INDEP. CLAIMS	3	MINUS	3	=0	x\$42 \$84	\$
Fee for Multiple Dependent Claims \$130/\$260						
			TOTAL ADDITIONAL FEE FOR THIS AMEND- MENT		\$	

- If the entry in Column 2 is less than the entry in Column 4, write "0" in Column 5.
- \*\* If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, write "20" in this space.
- \*\*\* If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, write "3" in this space.

- ☐ A Letter to the Official Draftsperson is enclosed.
- ☐ A Change of Address is enclosed.
- ☐ Charge \$ to Deposit Account No. 18-0013. A duplicate copy of this sheet is enclosed.
- ☒ Any prior general authorization to charge an issue fee under 37 C.F.R. 1.18 to Deposit Account No. 18-0013 is hereby revoked. The Commissioner is hereby authorized to charge any additional fees under 37 CFR 1.16 and 1.17 which may be required during the entire pendency of this application, or to credit any overpayment, to Deposit Account No. 18-0013. A duplicate copy of this sheet is enclosed.
- ☐ Charge \$\_\_\_\_\_ to Deposit Account No. 18-0013 to cover the Extension fee for response within \_\_\_\_\_ month(s).
- ☒ Applicant's undersigned attorney may be reached by telephone in our Washington D.C. Office at


(202) 955-3750.

All correspondence should be directed to our below listed address.

Date: September 27, 2002

  
\_\_\_\_\_  
Ronald R. Karanen  
Reg. No. 24,404

RADER, FISHMAN & GRAUER PLLC  
1233 20<sup>TH</sup> Street, NW  
Suite 501  
Washington, DC 20036  
Telephone: (202) 955-3750  
Facsimile: (202) 955-3751  
Customer No. 23353



SON-2139

PATENT APPLICATION

#5/A

10/02/02

TECHNOLOGY CENTER 2000

RECEIVED  
OCT - 1 2002IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent Application of

NOBUHIRO KIHARA

Art Unit: 2872

Serial No. 09/875,021

Examiner: Arnel C. Lavarias

Filed: June 7, 2001

For: HOLOGRAPHIC STEREOGRAM EXPOSURE APPARATUS,  
METHOD THEREOF, AND HOLOGRAPHIC STEREOGRAM  
GENERATION SYSTEM

AMENDMENT

Commissioner of Patents  
Washington, DC 20231

Sir:

In response to the Official Action mailed June 27, 2002  
(Paper No. 04), please amend the above-identified application as  
follows:

IN THE SPECIFICATION:

Please replace the paragraph beginning on page 1, line 25,  
and continuing on page 2 with the following new paragraph:

Meanwhile, the hologram exposure is very sensitive to  
vibrations. During the exposure time, an optical system must not  
vibrate on a recording wavelength scale. As mentioned above,  
however, a holographic stereogram may be generated by exposing  
thin slit element holograms one by one. In this case, it is  
necessary to wait until a vibration attenuates between exposures  
to some extent. This has been a hindrance to shorten the time to

AI